


櫻花牌彩絲繡花線 POLYESTER COLOR CARD

櫻花牌彩絲繡花線

SAKURA BRAND EMBROIDERY THREAD



櫻花線業

SAKURA THREAD COMPANY LIMITED

香港九龍官塘官塘道396號毅力工業中心2字樓G室

FLAT G., 2/F., EVEREST INDUSTRIAL CENTRE,

396 KWUN TONG ROAD, KWUN TONG, KOWLOON, HONG KONG.

E-mail address: sale@sakurathread.com Website: www.sakurathread.com

電話: (0852) 2763 9383

傳真: (0852) 2790 7607

香港落單，國內提貨



1 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195



2 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223



3 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251



4 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279



5 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307



6 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335



7 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363



8 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391



9 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419



10 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447



11 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475



12 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503



13 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531



14 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559



15 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587



16 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615



17 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643



18 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671



19 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699



20 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727





26 2868 2869 2870 2871 2872 2873 2874 2875 2876 2877 2878 2879 2880 2881 2882 2883 2884 2885 2886 2887 2888 2889 2890 2891 2892 2893 2894 2895



27 2896 2897 2898 2899 2900 2901 2902 2903 2904 2905 2906 2907 2908 2909 2910 2911 2912 2913 2914 2915 2916 2917 2918 2919 2920 2921 2922 2923



28 2924 2925 2926 2927 2928 2929 2930 2931 2932 2933 2934 2935 2936 2937 2938 2939 2940 2941 2942 2943 2944 2945 2946 2947 2948 2949 2950 2951




29 2952 2953 2954 2955 2956 2957 2958 2959 2960 2961 2962 2963 2964 2965 2966 2967 2968 2969 2970 2971 2972 2973 2974 2975 2976 2977 2978 2979



30 2980 2981 2982 2983 2984 2985 2986 2987 2988 2989 2990 2991 2992 2993 2994 2995 2996 2997 2998 2999 3000 3001 3002 3003 3004 3005 3006 3007



31 3008 3009 3010 3011 3012 3013 3014 3015 3016 3017 3018 3019 3020 3021 3022 3023 3024 3025 3026 3027 3028 3029 3030 3031 3032 3033 3034 3035



32 3036 3037 3038 3039 3040 3041 3042 3043 3044 3045 3046 3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063



33 3064 3065 3066 3067 3068 3069 3070 3071 3072 3073 3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089 3090 3091



34 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3108 3109 3110 3111 3112 3113 3114 3115 3116 3117 3118 3119



35 3120 3121 3122 3123 3124 3125 3126 3127 3128 3129 3130 3131 3132 3133 3134 3135 3136 3137 3138 3139 3140 3141 3142 3143 3144 3145 3146 3147




36 3148 3149 3150 3151 3152 3153 3154 3155 3156 3157 3158 3159 3160 3161 3162 3163 3164 3165 3166 3167 3168 3169 3170 3171 3172 3173 3174 3175



37 3176 3177 3178 3179 3180 3181 3182 3183 3184 3185 3186 3187 3188 3189 3190 3191 3192 3193 3194 3195 3196 3197 3198 3199 3200 3201 3202 3203



38 3204 3205 3206 3207 3208 3209 3210 3211 3212 3213 3214 3215 3216 3217 3218 3219 3220 3221 3222 3223 3224 3225 3226 3227 3228 3229 3230 3231



39 3232 3233 3234 3235 3236 3237 3238 3239 3240 3241 3242 3243 3244 3245 3246 3247 3248 3249 3250 3251 3252 3253 3254 3255 3256 3257 3258 3259



40 3260 3261 3262 3263 3264 3265 3266 3267 3268 3269 3270 3271 3272 3273 3274 3275 3276 3277 3278 3279 3280 3281 3282 3283 3284 3285 3286 3287



41 3288 3289 3290 3291 3292 3293 3294 3295 3296 3297 3298 3299 3300 3301 3302 3303 3304 3305 3306 3307 3308 3309 3310 3311 3312 3313 3314 3315



42 3316 3317 3318 3319 3320 3321 3322 3323 3324 3325 3326 3327 3328 3329 3330 3331 3332 3333 3334 3335 3336 3337 3338 3339 3340 3341 3342 3343



43 3344 3345 3346 3347 3348 3349 3350 3351 3352 3353 3354 3355 3356 3357 3358 3359 3360 3361 3362 3363 3364 3365 3366 3367 3368 3369 3370 3371



44 3372 3373 3374 3375 3376 3377 3378 3379 3380 3381 3382 3383 3384 3385 3386 3387 3388 3389 3390 3391 3392 3393 3394 3395 3396 3397 3398 3399



45 3400 3401 3402 3403 3404 3405 3406 3407 3408 3409 3410 3411 3412 3413 3414 3415 3416 3417 3418 3419 3420 3421 3422 3423 3424 3425 3426 3427



46 3428 3429 3430 3431 3432 3433 3434 3435 3436 3437 3438 3439 3440 3441 3442 3443 3444 3445 3446 3447 3448 3449 3450 3451 3452 3453 3454 3455



47 3456 3457 3458 3459 3460 3461 3462 3463 3464 3465 3466 3467 3468 3469 3470 3471 3472 3473 3474 3475 3476 3477 3478 3479 3480 3481 3482 3483



48 3484 3485 3486 3487 3488 3489 3490 3491 3492 3493 3494 3495 3496 3497 3498 3499 3500 3501 3502 3503 3504 3505 3506 3507 3508 3509 3510 3511



49 3512 3513 3514 3515 3516 3517 3518 3519 3520 3521 3522 3523 3524 3525 3526 3527 3528 3529 3530 3531 3532 3533 3534 3535 3536 3537 3538 3539



50 3540 3541 3542 3543 3544 3545 3546 3547 3548 3549 3550 3551 3552 3553 3554 3555 3556 3557 3558 3559 3560 3561 3562 3563 3564 3565 3566 3567



51 3568 3569 3570 3571 3572 3573 3574 3575 3576 3577 3578 3579 3580 3581 3582 3583 3584 3585 3586 3587 3588 3589 3590 3591 3592 3593 3594 3595



52 3596 3597 3598 3599 3600 3601 3602 3603 3604 3605 3606 3607 3608 3609 3610 3611 3612 3613 3614 3615 3616 3617 3618 3619 3620 3621 3622 3623



53 3624 3625 3626 3627 3628 3629 3630 3631 3632 3633 3634 3635 3636 3637 3638 3639 3640 3641 3642 3643 3644 3645 3646 3647 3648 3649 3650 3651





54 3652 3653 3654 3655 3656 3657 3658 3659 3660 3661 3662 3663 3664 3665 3666 3667 3668 3669 3670 3671 3672 3673 3674 3675 3676 3677 3678 3679



55 3680 3681 3682 3683 3684 3685 3686 3687 3688 3689 3690 3691 3692 3693 3694 3695 3696 3697 3698 3699 3700 3701 3702 3703 3704 3705 3706 3707





Intertek

TEST REPORT Number: HQT02009088

Tests Conducted (As Requested By The Applicant):
Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate):

As Per Standard Operating Procedures For Determining Total Lead (Pb) In Children's Products, Test Methods CPS-04-E3302-Q8.1 And/or CPS-04-E3301-Q8.1 Were Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Tested Sample Result In ppm Limit In ppm

Submitted Sample <10 300

Effective August 14, 2011, the limit for total lead content will be lowered to 100ppm.
Remark: ppm = parts per million = mg/kg
< = Less than

4 Total Cadmium (Cd) Content:

As Per Client's Request, Acid Digestion Method Was Used And Total Cadmium (Cd) Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Tested Sample Result In ppm Limit In ppm

Submitted Sample <5

Remark: ppm = parts per million = mg/kg
< = Less than

Intertek Testing Services Ltd., Shanghai, Hangzhou Branch
214100, Shanghai, P.R. China
Email: shanghai@intertek.com.cn
上海天祥實業集團有限公司杭州分公司
中國浙江省杭州市東湖路100號 郵政編碼: 310000
電話: +86 571 8718 8218, 傳真: +86 571 8718 8288
Attention: All reports in this format and conditions printed on intertek paper.

Page 1 of 1

Intertek

TEST REPORT Number: HQT02009088

Applicant: HANGZHOU SAGURA LINE INDUSTRY CO., LTD.
FANGJIAN INDUSTRIAL PARK, YUQIAN TOWN,
LINAN CITY, HANGZHOU, ZHEJIANG, CHINA
Attn: PANJIN WANG

Date: Aug 12, 2011

Sample Description:
One (1) Piece Of Submitted Metallic Thread In Silver

Date Received/Date Test Started: Aug 09, 2011
Manufacturer's Name: SAGURA

Conclusion:

Tested Sample	Standard	Result
Submitted Sample	As per Annex 1 of the REACH Regulation (EC) No. 1907/2006, & Amendment No. 352/2009 (Formerly Known As Directive 2002/95/EC)	Pass
Submitted Sample	U.S. Consumer Product Safety Improvement Act, 2008 Title I, Section 103 For Total Lead Content In Non-Surface Coating Materials (Substrate)	Pass

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai
Neil Peng

Neil Peng
Manager

Intertek Testing Services Ltd., Shanghai, Hangzhou Branch
214100, Shanghai, P.R. China
Email: shanghai@intertek.com.cn
上海天祥實業集團有限公司杭州分公司
中國浙江省杭州市東湖路100號 郵政編碼: 310000
電話: +86 571 8718 8218, 傳真: +86 571 8718 8288
Attention: All reports in this format and conditions printed on intertek paper.

Page 1 of 1

Intertek

TEST REPORT Number: HQT02009088

Tests Conducted (As Requested By The Applicant):
1. Determination Of Formaldehyde (Part 1): Free And Hydrolyzed Formaldehyde (ISO 14184-1:1998).

5ppm

Remark: ppm = parts per million = mg/kg

2. Detection Of Amino In Dye/Stuff:
By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method: Polyester Method (EN 14362-2:2003)

Forbidden	Gas No.	Result
1. 4-Aminodiphenyl benzidine	92-67-1	N
2. 4-Chloro-o-Toluidine	92-67-5	N
3. 4-Chloro-o-Toluidine	95-69-2	N
4. 2-Naphthylamine	91-59-8	N
5. o-Aminobenzoic acid	93-55-3	N
6. 2-Amino-4-Nitrophenol	93-55-8	N
7. p-Chloroaniline	106-47-8	N
8. 4-Aminodiphenyl ether	615-05-4	N
9. 4-Aminodiphenylmethane	101-77-9	N
10. 3,3'-Dichlorobenzidine	91-94-1	N
11. 3,3'-Dimethoxybenzidine	119-90-4	N
12. 3,3'-Dimethylbenzidine	119-93-7	N
13. 3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	N
14. p-Cresidine	120-71-8	N
15. 4,4'-Methylene-Bis(2-Chloroaniline)	101-34-4	N
16. 4,4'-Dichlorodiphenyl ether	101-90-4	N
17. 4,4'-Thiodiphenyl ether	139-65-3	N
18. p-Toluidine	95-53-4	N
19. 2,6-Toluenediamine	95-80-7	N
20. 2,4,5-Trimethylaniline	121-42-7	N
21. p-Aniline	93-04-0	N
22. p-Aminodiphenyl ether	60-09-3	N

Remark: N = Not detected (Less than 20 ppm)
Detection limit = 5 ppm
Requirement = 30 ppm (Max)
ppm = parts per million = mg/kg

Intertek Testing Services Ltd., Shanghai, Hangzhou Branch
214100, Shanghai, P.R. China
Email: shanghai@intertek.com.cn
上海天祥實業集團有限公司杭州分公司
中國浙江省杭州市東湖路100號 郵政編碼: 310000
電話: +86 571 8718 8218, 傳真: +86 571 8718 8288
Attention: All reports in this format and conditions printed on intertek paper.

Page 2 of 3

TESTEX AG, Swiss Textile Testing Institute

Göthardstrasse 61
CH-8027 Zurich

Institute of the International Association for Research and Testing in the Field of Textile Ecology

下城公司
櫻花線業有限公司
香港九龍官塘道396號觀力工業中心2樓G室

根據我方檢測報告 test report SHYO 086797.2, 已獲得 Oeko-Tex® Standard 100 所給之授權, 使用 Oeko-Tex® 標識

信心 纺织品
通过有害物质检验
根据 Oeko-Tex® Standard 100
HKYO 040982

適用之產品為:
純棉線長纖維線及純棉短纖維線, 白色或染色及後整理

按 Oeko-Tex® Standard 100 第一類產品, 而作出的檢測結果顯示, 以上產品符合了該項標準對嬰兒用品而設之嚴格限制標準。

獲認證產品符合 REACH 法規對第 XVII 條之要求 (包括偶氮染料禁限及限制標準), 同時符合美國有關兒童產品中殘留化學品的技術法規的要求 (即 CPSIA 的要求, 但不適用於紡織材料製品)。

持此證書的公司, 已作出了根據 EN ISO 17090-1 的品質和符合聲明, 確保只應用 Oeko-Tex® 標識于與測試樣本相符合之產品上, 且該聲明將會被核實。

30.01.2013 審核於蘇黎世

Serge Rolle
CEO

Dr. Jean Pierre Haug
COO

TESTEX AG, Swiss Textile Testing Institute

Göthardstrasse 61
CH-8027 Zurich

Institute of the International Association for Research and Testing in the Field of Textile Ecology

The company
Sakura Thread Company Limited

Flat G, 2/F,
Everest Industrial Centre
398 Kwun Tong Road, Kwun Tong
HK - Kowloon

Is granted authorisation according to Oeko-Tex® Standard 100 to use the Oeko-Tex® mark, based on test report SHYO 086797.2

CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex® Standard 100
HKYO 040982

for the following articles:
Thread made of 100% polyester (including filament and staple fibre), white, dyed and finished

The results of the inspection made according to Oeko-Tex® Standard 100, product class 1 for baby articles, have shown that the above mentioned goods meet the human-ecological requirements of the standard presently established.

The certified articles fulfil the requirements of Annex XVII of REACH (incl. the use of azo-dyes, nitro-ar., etc.) as well as the American requirement regarding total content of lead in children's articles (CPSIA, with the exception of accessories made from glass).

The holder of the certificate, who has issued a conformity declaration according to EN ISO 17090-1, is obliged to use the Oeko-Tex® mark only in conjunction with products that are conform with the sample initially tested. The conformity is verified by audit.

Zurich, 30.01.2013

Serge Rolle
CEO

Dr. Jean Pierre Haug
COO

國內廠房
東莞長安

電話:0769-85315833

傳真:0769-85315822

浙江杭州

電話:0571-63872229

0571-63872882

傳真:0571-63872878

國內經銷商

西柳門市部

電話:024-31307187

北京門市部

電話:010-89478797

天津門市部

電話:022-26423845

石家莊門市部

電話:0311-87024591

上海門市部

電話:021-58410243

常熟門市部

電話:0512-52782178

南通門市部

電話:0512-83502093

張家港門市部

電話:0512-58517637

杭州門市部

電話:0571-86700074

平湖門市部

電話:0755-84698429

中山門市部

電話:0760-87317998

順德門市部

電話:0757-26324050

大朗門市部

電話:0769-83196980

萬江門市部

電話:0769-22175819

顏色洗水色牢度 (Colour Fastness to Washing)

國際標準 ISO Designation	皂溶液 Soap Solution	溫度 Temp °C	時間 Time	色度 Colour Fastness
ISO 105-C03	每升含皂5克及碳酸鈉2克 5 gm soap plus 2 gm sodium carbonate per litre	60+/-2 °C	30 min	4-5 (Grade)

化驗報告表內所顯示之成分及其他功效結果, 及本公司之部份產品所化驗出之報告, 以提供用家及分析參考, 如對本公司之產品有疑問時可與本公司查詢, 或先試後做貨。

Content and other results are indicated in the laboratory report. This is a laboratory report of the contents of some of products for user's reference. Please contact contact our company any time should you have any queries to our products or try it out before placing an order.